AMENDMENT TO THE CLAIMS

1. (Currently Amended) A method of segmenting words into component parts, the method comprising:

determining a mutual information scores for a pair of graphoneme units, comprising a first graphoneme unit and a second graphoneme unit, using the probability of the first graphoneme unit appearing immediately after the second graphoneme unit, the unigram probability of the first graphoneme unit and the unigram probability of the second graphoneme unit, each graphoneme unit comprising at least one letter in the spelling of a word;

using the mutual information scores to combine the first and second graphoneme units into a larger graphoneme unit; and

segmenting words into component parts to form a sequence of graphonemes <u>based</u> on the larger graphoneme unit.

- 2. (Currently Amended) The method of claim 1 wherein combining graphoneme <u>units</u> comprises combining the letters of each graphoneme <u>unit</u> to produce a sequence of letters for the larger graphoneme unit and combining the—phones of each graphoneme <u>unit</u> to produce a sequence of phones for the larger graphoneme unit.
- 3. (Original) The method of claim 1 further comprising using the segmented words to generate a model.
- 4. (Original) The method of claim 3 wherein the model describes the probability of a graphoneme unit given a context within a word.
- 5. (Original) The method of claim 4 further comprising using the model to determine a pronunciation of a word given the spelling of the word.

- 6. (Currently Amended) The method of claim 1 wherein using the mutual information scores comprises summing at least two mutual information scores determined for a single larger graphoneme unit to form a strength.
- 7. (Currently Amended) A computer-readable medium having computer-executable instructions for performing steps comprising:
 - determining mutual information scores for pairs of graphoneme units found in a set of words, each graphoneme unit comprising at least one letter and each mutual information score for a pair of graphoneme units based on the probability of one graphoneme unit of the pair of graphoneme units appearing immediately after the other graphoneme unit of the pair of graphoneme unit in the pair of graphoneme units;
 - combining the graphoneme units of one pair of graphonome units to form a new graphoneme unit based on the mutual information scores; and
 - identifying a set of graphoneme units for a word based in part on the new graphoneme unit.
- 8. (Original) The computer-readable medium of claim 7 wherein combining the graphoneme units comprises combining the letters of the graphoneme units to form a sequence of letters for the new graphoneme unit.
- 9. (Original) The computer-readable medium of claim 8 wherein combining the graphoneme units further comprises combining the phones of the graphoneme units to form a sequence of phones for the new gaphoneme unit.

- 10. (Original) The computer-readable medium of claim 7 further comprising identifying a set of graphonemes for each word in a dictionary.
- 11. (Original) The computer-readable medium of claim 10 further comprising using the sets of graphonemes identified for the words in the dictionary to train a model.
- 12. (Original) The computer-readable medium of claim 11 wherein the model describes the probability of a graphoneme unit appearing in a word.
- 13. (Original) The computer-readable medium of claim 12 wherein the probability is based on at least one other graphoneme unit in the word.
- 14. (Original) The computer-readable medium of claim 11 further comprising using the model to determine a pronunciation for a word given the spelling of the word.
- 15. (Original) The computer-readable medium of claim 7 wherein combining graphoneme units based on the mutual information score comprises summing at least two mutual information scores associated with a new graphoneme unit.
- 16. (Currently Amended) A method of segmenting a word into syllables, the method comprising:

segmenting a set of words into phonetic syllables using mutual information scores

wherein using a mutual information score comprises computing a mutual
information score for two phones based on the probability of two phones
appearing next to each other in the set of words and the unigram
probabilities of each of the two phones in the set of words;

using the segmented set of words to train a syllable n-gram model; and

using the syllable n-gram model to segment a phonetic representation of a word into syllables via forced alignment.

17. (Currently Amended) A method of segmenting a word into morphemes, the method comprising:

segmenting a set of words into morphemes using mutual information scores

wherein using mutual information scores comprises computing a mutual

information score for two letters based on the probability of the two letters

appearing next to each other in the set of words and the unigram

probabilities of each of the two letters in the set of words;

using the segmented set of words to train a morpheme n-gram model; and using the morpheme n-gram model to segment a word into morphemes via forced alignment.